

Notice of Allowability

Application No.

10/074,369

Examiner

Monique M Wills

Applicant(s)

PROBST

Art Unit

1746

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the amendment filed 4/7/04.
2. ☒ The allowed claim(s) is/are 1,3-10 and 12-19.
3. ☒ The drawings filed on 12 February 2002 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: the instant claims are allowable over the prior art of record, because the prior art is silent to a current collector comprising: a plurality of first radiating conductors radiating from a focal point on the frame and terminating at the frame perimeter; a first group of at least two concentric conductors being concentric with the focal point, and intersecting a plurality of radiating conductors; a second group of at least two second concentric conductors being concentric with the focal point, and intersecting a plurality of radiating conductors; wherein from the focal point to an outer most one of the first concentric conductors is a distance "x" and from the focal point to a nearest most one of the second concentric conductors is from 1x to about 10x, wherein there are no concentric conductors intermediate the outer most one of the first concentric conductors and the nearest most one of the second concentric conductors.

The prior art, such as Wackwitz U.S. Patent 1,044,831, teaches a current collector comprising a plurality of first radiating conductors radiating from a focal point on the frame, wherein the first group of concentric conductors intersect the radiating conductors. The reference is silent to a second group of concentric conductors, wherein there are no concentric conductors intermediate the outer most one of the first concentric conductors and the nearest most one of the second concentric conductors. Therefore, the subject invention is patentably distinct from Wackwitz.

Conclusion

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Monique Wills whose telephone number is (571) 272-1309. The Examiner can normally be reached on Monday-Friday from 8:30am to 5:00 pm.


If attempts to reach Examiner by telephone are unsuccessful, the Examiner's supervisor, Randy Gulakowski, may be reached at 571-272-1302. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MW

5/16/04


BRUCE F. BELL
PRIMARY EXAMINER
GROUP 1746